SEQUENCHER®

Windows and Macintosh

Uninstalling Sequencher and Plugins

© 2015 Gene Codes Corporation



Gene Codes Corporation 775 Technology Drive, Ann Arbor, MI 48108 USA 1.800.497.4939 (USA) +1.734.769.7249 (elsewhere) +1.734.769.7074 (fax) www.genecodes.com gcinfo@genecodes.com

Uninstalling Sequencher and Plugins

Uninstalling Sequencher for Windows	
Uninstalling Windows Plugins	3
Uninstalling Sequencher for Mac OS X	3
Uninstalling Mac OS X Plugins	4
Plugin Components	5

Uninstalling Sequencher and Plugins

To uninstall Sequencher and any plugins you may have installed you will need to follow the instructions for your operating system.

UNINSTALLING SEQUENCHER FOR WINDOWS

To remove Sequencher from your Windows computer you will need a copy of the original installer. If this is a recent version of Sequencher, you may be able to download a compatible installer from our website at http://www.genecodes.com.

- Double-click on the downloaded zip file to open it and extract the files.
- Double-click the Sequencher installer icon to launch the installer.
- If UAC (User Account Control) is enabled, click the Yes button to allow the Sequencher installer to run.
- Click the **Next** button.
- The installer will indicate that you have chosen to remove the program. Click **Remove**.
- Click the Finish button after the installer has completed removing Sequencher to exit the wizard.

If you do not intend to re-install Sequencher or need to save space on your hard drive then remove the installer as follows.

- Drag the installer to your **Recycle Bin**.
- Right-click on the Recycle Bin and choose Empty Recycle Bin.

UNINSTALLING WINDOWS PLUGINS

Tools such as the **External Tools** or **RNA-Seq Tools** are known as plugins. To remove any plugins you may have installed, follow these steps.

- Click the Start button and then click Control Panel .
- Click **Programs**.
- Click **Programs and Features.**
- Select RNA-Seq tools to uninstall Cufflinks suite.
- Click Uninstall and then provide confirmation.

UNINSTALLING SEQUENCHER FOR MAC OS X

When you installed Sequencher the following two items were installed, the Sequencher application and the rCRS.spf template project. Sequencher is located in the Applications folder. The rCRS.spf template project is located in the /Library/Application Support/Gene Codes/Sequencher/Templates folder.

- To remove these items, drag them both to the Trash.
- Depending on your operating system you may need to authenticate.
- Empty the **Trash**.

UNINSTALLING MAC OS X PLUGINS

Tools such as the **External Tools** or **RNA-Seq Tools** are known as plugins. To remove any plugins you may have installed, follow these steps.

- Go to the Finder menu and choose Go to Folder... from the Go menu.
- Type /usr/local/bin and click the OK button.
- Sort the window by Tags, if this is not available, right-click in the column header and choose Tags.
- Each of our installed components has been tagged with a color, making them easier to identify (see the Plugin Components table). Select all the tagged items ensuring you don't remove any of your own items.
- Right-click and choose Move to Trash.
- You may need to authenticate.
- Right-click on the Trash and choose Empty Trash.

PLUGIN COMPONENTS

Installer	Plugin	Component	Tag color
External Tools V4.2	MUSCLE	muscle	•
	BWA-MEM	bwa	•
	MAQ	farm-run.pl	
		maq	•
		maq_eval.pl	
		maq_plot.pl	•
		maq.pl	
		maqindex	•
		maqindex_socks	
		maqview	•
		zrio	
	GSNAP	cmetindex	•
		dbsnp_iit	•
		dibaseindex	•
		fa_coords	•
		get-genome	•
		gmap	•
		gmap_build	•
		gmap_compress	•
		gmap_process	•
		gmap_reassemble	•
		gmap_setup	•
		gmap_uncompress	•
		gmapindex	•
		gsnap	•
		gsnap_tally	•
		iit_dump	•
		iit_get	•
		iit_store	•
		md_coords	•
		psl_splices	•
		psl_splicesites	•
		sam_merge	•
		sam_restore	•
		snpindex	•
	VELVET	velvetg	•
		velveth	•

Installer	Plugin	Component	Tag color
RNA-Seq Tools V1.0	CUFFLINKS	compress_gtf	•
		cuffcompare	•
		cuffdiff	0
		cufflinks	•
		cuffmerge	•
		cuffnorm	•
		cuffquant	•
		gffread	•
		gtf_to_sam	•
		samtool	•